



# MATERIAL SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS &amp; 2001/58 EC Standards

MSDS Revision: 7.0

MSDS Revision Date: 03/25/2009

## 1. PRODUCT IDENTIFICATION

1.1	Product Name: <b>EARTH MOISTURE MASQUE</b>
1.2	Chemical Name: <b>CLAY MIXTURE</b>
1.3	Synonyms: <b>EARTH MOISTURE MASQUE; RAW EARTH™ - FOOT MASK</b>
1.4	Trade Names: <b>Earth Moisture Masque</b>
1.5	Product Use: <b>COSMETIC USE ONLY</b>
1.6	Distributor's Name: <b>CREATIVE NAIL DESIGN, INC.</b>
1.7	Distributor's Address: <b>1125 JOSHUA WAY, VISTA, CA USA 92081</b>
1.8	Emergency Phone: <b>CHEMTREC: +1 (800) 424-9300 / +1 (703) 527-3887</b>
1.9	Business Phone: <b>(800) 833-NAIL (6245), (760) 599-2900</b>

## 2. HAZARD IDENTIFICATION

2.1	Hazard Identification: <b>This product is not classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC:1088 (2004) and ADG Code (Australia).</b>						
2.2	Routes of Entry:	Inhalation:	<b>NO</b>	Absorption:	<b>NO</b>	Ingestion:	<b>YES</b>
2.3	Effects of Exposure: <b>INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea.</b> <b>EYES: Mildly to moderately irritating to the eyes.</b> <b>SKIN: May be irritating to skin in some sensitive individuals, especially after prolonged contact.</b> <b>INHALATION: Inhalation is unlikely.</b>						
2.4	Symptoms of Overexposure: <b>EYES: Symptoms of overexposure may include redness, itching, irritation and watering (if in eyes).</b> <b>SKIN: Symptoms of overexposure may include redness, itching and irritation.</b>						
2.5	Acute Health Effects: <b>INGESTION: May cause excessive bowel movements following ingestion.</b> <b>EYES: Redness, itching, irritation (and watering if in eyes).</b> <b>SKIN: Redness, itching and irritation of the skin at the site of contact for some sensitive individuals.</b>						
2.6	Chronic Health Effects: <b>No chronic health effects are known.</b>						
2.7	Target Organs: <b>Eyes, skin.</b>						

NA = Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used. Note: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.



# MATERIAL SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 7.0

MSDS Revision Date: 03/25/2009

## 3. COMPOSITION & INGREDIENT INFORMATION

CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m <sup>3</sup> )								
					ACGIH		NOHSC			OSHA			OTHER
					ppm	ppm	ppm	ppm	ppm	ppm	ppm		
TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH						
WATER (AQUA)	7732-18-5	ZC0110000	231-791-2	≤ 60.0	NE	NE	NF	NF	NF	NE	NE	NE	
BENTONITE	1302-78-9	CT9450000	215-108-5	≤ 20.0	(10)	NE	NF	NF	NF	(15)	NE	NE	(5) DUST
GLYCINE SOJA (SOYBEAN) OIL	8001-22-7	WG4862000	231-791-2	≤ 10.0	NE	NE	NF	NF	NF	NE	NE	NE	
UREA	57-13-6	YR6250000	200-315-5	≤ 5.0	NE	NE	NF	NF	NF	NE	NE	NE	
GLYCERIN	56-81-5	MA8050000	231-211-8	≤ 5.0	(10)	NE	NF	NF	NF	(5)	NE	NE	
POTASSIUM CETYL PHOSPHATE	84861-79-0	NA	284-374-2	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
RHODOCHROSITE EXTRACT	598-62-9	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
TOCOPHERYL ACETATE	58-97-7	GP8280000	200-405-4	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
RETINYL PALMITATE	79-81-2	VH6860000	221-228-5	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
OENOTHERA BIENNIS (EVENING PRIMROSE) OIL	90028-66-3	NA	289-859-2	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
PANTHENOL	81-13-0	ES43160000	201-327-3	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
SUCROSE COCOATE	91031-88-8	NA	292-993-4	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
VITIS VINIFERA (GRAPE) SEED OIL	84929-27-1	NA	284-511-6	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
ALLANTOIN	97-59-6	YT1600000	202-295-8	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
HYDROGENATED VEGETABLE OIL	68344-28-1	NA	269-820-6	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
LACTIC ACID	50-21-5	OD2800000	200-018-0	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
AMMONIUM LACTATE	515-98-0	UA2465530	208-214-8	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
LITHIUM MAGNESIUM SODIUM SILLICATE	NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
FRAGRANCE (PARFUM)	NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
EUGENOL	97-53-0	SJ43750000	202-589-1	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
CITRAL	5392-40-5	NA	226-394-6	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
COUMARIN	91-64-5	GN420000	202-086-7	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
LINALOOL	78-70-6	RG5775000	201-134-4	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
METHYLPARABEN	99-76-3	DH2450000	NA	< 0.4	NA	NA	NF	NF	NF	NA	NA	NA	
PHENOXYETHANOL	122-99-6	KM0350000	204-589-7	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
BUTYLPARABEN	94-26-8	DH1980000	202-318-7	< 0.4	NA	NA	NF	NF	NF	NA	NA	NA	
ETHYLPARABEN	120-47-8	DH2190000	204-399-4	< 0.4	NA	NA	NF	NF	NF	NA	NA	NA	
ISOBUTYLPARABEN	4247-02-3	DH2247000	224-208-8	< 0.4	NA	NA	NF	NF	NF	NA	NA	NA	
PROPYLPARABEN	94-13-3	DH2800000	202-307-7	< 0.4	NA	NA	NF	NF	NF	NA	NA	NA	
CI 77491 (IRON OXIDES)	1309-37-1	NO7420000	215-168-2	< 0.4	NA	NA	NF	NF	NF	NA	NA	NA	
CI 77492 (IRON OXIDES)	13323-37-2	NOT380000	215-570-8	< 0.4	NA	NA	NF	NF	NF	NA	NA	NA	
CI 77499	1317-61-9	NA	215-570-8	< 0.4	NA	NA	NF	NF	NF	NA	NA	NA	


Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 7.0 | MSDS Revision Date: 03/25/2009

## 4. FIRST AID MEASURES

4.1	First Aid:	<p><b>INGESTION:</b> DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.</p> <p><b>EYES:</b> If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. If irritation persists, consult a physician.</p> <p><b>SKIN:</b> If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and soap. Do not wear contaminated clothing until after it has been properly cleaned. If irritation persists, consult a physician.</p> <p><b>INHALATION:</b> Remove victim to fresh air at once.</p>
4.2	Medical Conditions Aggravated by Exposure:	<b>None known.</b>

## 5. FIREFIGHTING MEASURES

5.1	Flashpoint & Method:	<b>Non-flammable</b>			
5.2	Autoignition Temperature:	<b>NA</b>			
5.3	Flammability Limits:	Lower Explosive Limit (LEL):	<b>NA</b>	Upper Explosive Limit (UEL):	<b>NA</b>
5.4	Fire & Explosion Hazards:	<b>This product is not flammable.</b>			
5.5	Extinguishing Methods:	<b>Water, Foam, CO<sub>2</sub> or Dry Chemical as authorized.</b>			
5.6	Firefighting Procedures:	<b>Normal firefighting procedures require self-contained breathing apparatus with protective gear for any hostile fire.</b>			



## 6. ACCIDENTAL RELEASE MEASURES

6.1	Spills:	<p><b>Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.</b></p> <p><b>For small spills (e.g., &lt;1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.</b></p> <p><b>For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Transfer material to containers for recovery or disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.</b></p>
-----	---------	---

## 7. HANDLING & STORAGE INFORMATION

7.1	Work & Hygiene Practices:	<b>Follow normal hygiene practices. Do not eat, drink or smoke while handling product.</b>
7.2	Storage & Handling:	<b>Use and store in a cool, dry location. Keep away from excessive and direct sunlight. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers closed when not in use.</b>
7.3	Special Precautions:	<b>Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.</b>



# MATERIAL SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 7.0 | MSDS Revision Date: 03/25/2009

## 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1	Ventilation & Engineering Controls: <b>General mechanical (e.g., local exhaust ventilation, fans) or natural ventilation is sufficient when this product is in use.</b>												
8.2	Respiratory Protection: <b>None required.</b>												
8.3	Eye Protection: <b>None required. Avoid eye contact. When handling large quantities (e.g., ≥ 1 gallon (3.785 liters)), safety glasses with side shields should be used.</b>												
8.4	Hand Protection: <b>None required under normal conditions of use. When handling large quantities (e.g., ≥ 1 gallon (3.785 liters)), wear rubber or impervious plastic gloves.</b>												
8.5	<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;">           Body Protection:  <b>No apron required when handling small quantities.</b>  <b>When handling large quantities (e.g., ≥ 1 gallon (3.785 liters)), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.</b> </div> <table border="1" style="width: 35%; text-align: center;"> <tr><td style="background-color: #0000FF; color: white;"><b>HEALTH</b></td><td><b>1</b></td></tr> <tr><td style="background-color: #FF0000; color: white;"><b>FLAMMABILITY</b></td><td><b>0</b></td></tr> <tr><td style="background-color: #FFFF00; color: black;"><b>REACTIVITY</b></td><td><b>0</b></td></tr> <tr><td style="background-color: #000000; color: white;"><b>PROTECTIVE EQUIPMENT</b></td><td></td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table> </div>	<b>HEALTH</b>	<b>1</b>	<b>FLAMMABILITY</b>	<b>0</b>	<b>REACTIVITY</b>	<b>0</b>	<b>PROTECTIVE EQUIPMENT</b>					
<b>HEALTH</b>	<b>1</b>												
<b>FLAMMABILITY</b>	<b>0</b>												
<b>REACTIVITY</b>	<b>0</b>												
<b>PROTECTIVE EQUIPMENT</b>													

## 9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Density:	<b>1.10</b>
9.2	Boiling Point:	<b>ND</b>
9.3	Melting Point:	<b>ND</b>
9.4	Evaporation Rate:	<b>ND</b>
9.5	Vapor Pressure:	<b>ND</b>
9.6	Molecular Weight:	<b>ND</b>
9.7	Appearance & Color:	<b>Brown (clay colored) paste</b>
9.8	Odor Threshold:	<b>ND</b>
9.9	Solubility:	<b>Fully soluble</b>
9.10	pH	<b>6.8</b>
9.11	Viscosity:	<b>2,000,000 cps</b>
9.12	Other Information:	<b>NA</b>

## 10. STABILITY & REACTIVITY

10.1	Stability: <b>Stable under ambient conditions.</b>
10.2	Hazardous Decomposition Products: <b>NA</b>
10.3	Hazardous Polymerization: <b>Will not occur.</b>
10.4	Conditions to Avoid: <b>Exposure or contact with extreme temperatures, direct sunlight or incompatible materials.</b>
10.5	Incompatible Substances: <b>Strong oxidizers.</b>



# MATERIAL SAFETY DATA SHEET

Page 5 of 7  
CND-N-114

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 7.0

MSDS Revision Date: 03/25/2009

## 11. TOXICOLOGICAL INFORMATION

11.1	Toxicity Data: <b>This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document.</b>
11.2	Acute Toxicity: <b>See section 2.5</b>
11.3	Chronic Toxicity: <b>See section 2.6</b>
11.4	Suspected Carcinogen: <b>No</b>
11.5	Reproductive Toxicity: <b>This product is not reported to produce reproductive toxicity in humans.</b>
	Mutagenicity: <b>This product is not reported to produce mutagenic effects in humans.</b>
	Embryotoxicity: <b>This product is not reported to produce embryotoxic effects in humans.</b>
	Teratogenicity: <b>This product is not reported to produce teratogenic effects in humans.</b>
	Reproductive Toxicity: <b>This product is not reported to produce reproductive effects in humans.</b>
11.6	Irritancy of Product: <b>See section 2.3</b>
11.7	Biological Exposure Indices: <b>NE</b>
11.8	Physician Recommendations: <b>Treat symptomatically.</b>

## 12. ECOLOGICAL INFORMATION

12.1	Environmental Stability: <b>This product will slowly volatilize from soil. Components of this product will slowly decompose into organic compounds.</b>
12.2	Effects on Plants & Animals: <b>There is no specific data available for this product.</b>
12.3	Effects on Aquatic Life: <b>Releases of large volumes may be harmful or fatal to overexposed aquatic life. Aquatic toxicity data for components of this product are available, but are not presented in this MSDS.</b>

## 13. DISPOSAL CONSIDERATIONS

13.1	Waste Disposal: <b>Dispose in accordance with Federal, state, and local regulations.</b>
13.2	Special Considerations: <b>NA</b>

## 14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADGR and the CTDGR.

14.1	49 CFR (GND): <b>NOT REGULATED</b>	
14.2	IATA (AIR): <b>NOT REGULATED</b>	
14.3	IMDG (OCN): <b>NOT REGULATED</b>	
14.4	TDGR (Canadian GND): <b>NOT REGULATED</b>	
14.5	ADR/RID (EU): <b>NOT REGULATED</b>	
14.6	SCT (MEXICO): <b>NOT REGULATED</b>	
14.7	ADGR (AUS): <b>NOT REGULATED</b>	









# MATERIAL SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 7.0 | MSDS Revision Date: 03/25/2009

## 15. REGULATORY INFORMATION

15.1	U.S. EPA SARA Title III Reporting Requirements: <b>NA</b>
15.2	U.S. EPA SARA Title III Threshold Planning Quantity (TPQ): <b>NA</b>
15.3	U.S. TSCA Inventory Status: <b>All components of this product are listed in the TSCA Inventory.</b>
15.4	U.S. CERCLA Reportable Quantity (RQ): <b>There are no Reportable Quantities for any of the components of this product.</b>
15.5	Other U.S. Federal Requirements: <b>This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).</b>
15.6	Other Canadian Regulations: <b>This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.</b>
15.7	U.S. State Regulatory Information: <b>No component of this mixture is listed in the California Proposition 65 Lists.</b>
15.8	European Union 67/548/EEC and Australia NOHSC:2011 (2003) Requirements: <b>The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC. The primary components of this product are not listed as Hazardous Components with the Australian Government, Australian Safety and Compensation Council, (HSIS). S: 24 Avoid contact with eyes.</b>

## 16. OTHER INFORMATION

16.1	Other Information: WARNING: Use only as directed. Do not heat product before use. Avoid eye contact. If contact occurs, flush eye thoroughly with running water for at least 15 minutes. Seek medical attention. Keep out of reach of children. Discontinue use immediately if irritation develops.		
16.2	Terms & Definitions: <b>Please see last page of this MSDS.</b>		
16.3	Disclaimer: This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.		
16.4	<table border="0"> <tr> <td style="vertical-align: top;">           Prepared for:  <b>Creative Nail Design, Inc.</b>  <b>A Division of Colomer U.S.A., Inc.</b>            1125 Joshua Way            Vista, CA 92081 USA            (800) 833-NAIL (6245) phone            (760) 599-2900            (760) 599-4005 fax  <a href="http://www.cnd.com/">http://www.cnd.com/</a> </td> <td style="text-align: center; vertical-align: middle;">  </td> </tr> </table>	Prepared for: <b>Creative Nail Design, Inc.</b> <b>A Division of Colomer U.S.A., Inc.</b> 1125 Joshua Way Vista, CA 92081 USA (800) 833-NAIL (6245) phone (760) 599-2900 (760) 599-4005 fax <a href="http://www.cnd.com/">http://www.cnd.com/</a>	
Prepared for: <b>Creative Nail Design, Inc.</b> <b>A Division of Colomer U.S.A., Inc.</b> 1125 Joshua Way Vista, CA 92081 USA (800) 833-NAIL (6245) phone (760) 599-2900 (760) 599-4005 fax <a href="http://www.cnd.com/">http://www.cnd.com/</a>			
16.5	<table border="0"> <tr> <td style="vertical-align: top;">           Prepared by:  <b>ShipMate, Inc.</b>            PO Box 787            Sisters, OR 97759-0787 USA            Phone: +1 (310) 370-3600            Fax: +1 (310) 370-5700            e-mail: <a href="mailto:shipmate@shipmate.com">shipmate@shipmate.com</a> </td> <td style="text-align: center; vertical-align: middle;">  </td> </tr> </table>	Prepared by: <b>ShipMate, Inc.</b> PO Box 787 Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600 Fax: +1 (310) 370-5700 e-mail: <a href="mailto:shipmate@shipmate.com">shipmate@shipmate.com</a>	
Prepared by: <b>ShipMate, Inc.</b> PO Box 787 Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600 Fax: +1 (310) 370-5700 e-mail: <a href="mailto:shipmate@shipmate.com">shipmate@shipmate.com</a>			

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 7.0 | MSDS Revision Date: 03/25/2009

## DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

### GENERAL INFORMATION:

<b>CAS No.</b>	Chemical Abstract Service Number
----------------	----------------------------------

### EXPOSURE LIMITS IN AIR:

<b>ACGIH</b>	American Conference on Governmental Industrial Hygienists
<b>TLV</b>	Threshold Limit Value
<b>OSHA</b>	U.S. Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>IDLH</b>	Immediately Dangerous to Life and Health

### FIRST AID MEASURES:

<b>CPR</b>	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
------------	--

### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

#### HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

<b>0</b>	Minimal Hazard
<b>1</b>	Slight Hazard
<b>2</b>	Moderate Hazard
<b>3</b>	Severe Hazard
<b>4</b>	Extreme Hazard



#### PERSONAL PROTECTION RATINGS:

<b>A</b>		<b>G</b>	
<b>B</b>		<b>H</b>	
<b>C</b>		<b>I</b>	
<b>D</b>		<b>J</b>	
<b>E</b>		<b>K</b>	
<b>F</b>		<b>X</b>	Consult your supervisor or S.O.P. for special handling directions.

Safety Glasses	Splash Goggles	Face Shield & Eye Protection	Gloves
Boots	Synthetic Apron	Full Suit	Dust Respirator
Vapor Respirator	Dust & Vapor Respirator	Full Face Respirator	Airline Hood/Mask or

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

#### FLAMMABILITY LIMITS IN AIR:


<b>Autoignition Temperature</b>	Minimum temperature required to initiate combustion in air with no other source of ignition
<b>LEL</b>	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
<b>UEL</b>	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

### OTHER STANDARD ABBREVIATIONS:

<b>NA</b>	Not Available
<b>NR</b>	No Results
<b>NE</b>	Not Established
<b>ND</b>	Not Determined
<b>ML</b>	Maximum Limit
<b>SCBA</b>	Self-Contained Breathing Apparatus

### NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD RATINGS:

<b>0</b>	Minimal Hazard
<b>1</b>	Slight Hazard
<b>2</b>	Moderate Hazard
<b>3</b>	Severe Hazard
<b>4</b>	Extreme Hazard
<b>ACD</b>	Acidic
<b>ALK</b>	Alkaline
<b>COR</b>	Corrosive
<b>-W</b>	Use No Water
<b>OX</b>	Oxidizer



### TOXICOLOGICAL INFORMATION:

<b>LD<sub>50</sub></b>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
<b>LC<sub>50</sub></b>	Lethal concentration (gases) which kills 50% of the exposed animal
<b>ppm</b>	Concentration expressed in parts of material per million parts
<b>TD<sub>01</sub></b>	Lowest dose to cause a symptom
<b>TCLo</b>	Lowest concentration to cause a symptom
<b>TD<sub>01</sub>, LD<sub>01</sub>, &amp; LD<sub>01</sub> or TC, TC<sub>01</sub>, LC<sub>01</sub>, &amp; LC<sub>01</sub></b>	Lowest dose (or concentration) to cause lethal or toxic effects
<b>IARC</b>	International Agency for Research on Cancer
<b>NTP</b>	National Toxicology Program
<b>RTECS</b>	Registry of Toxic Effects of Chemical Substances
<b>BCF</b>	Bioconcentration Factor
<b>TL<sub>m</sub></b>	Median threshold limit
<b>log K<sub>ow</sub> or log K<sub>oc</sub></b>	Coefficient of Oil/Water Distribution

### REGULATORY INFORMATION:

<b>WHMIS</b>	Canadian Workplace Hazardous Material Information System
<b>DOT</b>	U.S. Department of Transportation
<b>TC</b>	Transport Canada
<b>EPA</b>	U.S. Environmental Protection Agency
<b>DSL</b>	Canadian Domestic Substance List
<b>NDSL</b>	Canadian Non-Domestic Substance List
<b>PSL</b>	Canadian Priority Substances List
<b>TSCA</b>	U.S. Toxic Substance Control Act
<b>EU</b>	European Union (European Union Directive 67/548/EEC)
<b>CPR</b>	Canada's Controlled Product Regulations

### EC INFORMATION:

<b>C</b>	<b>E</b>	<b>F</b>	<b>N</b>	<b>O</b>	<b>T+</b>	<b>Xi</b>	<b>Xn</b>
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

### WHMIS INFORMATION:

<b>A</b>	<b>B</b>	<b>C</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E</b>	<b>F</b>
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive